upplier's name or trade mark: WINDSOR					
Supplier's address (c )					
Model identifier:		-	WS 4914 KURUTMALI ÇAMAŞIR MAK	inesi	
General product parameters:	ı				
Parameter	Value		Parameter		Value
Rated Capacity (kg)	Rated capacity (b)	9,0	Dimensions in cm	Height Width	85 60
	Rated washing capacity (a)	6,0	Differisions in un	Depth	58
Energy Efficiency Index	EEIW (a) EEIWD (b)	69,0 82,0	Energy efficiency class	EEIW (a) EEIWD (b)	C E
Washing efficiency index	lw (a) Jw (b)	1,04 1,04	Rinsing effectiveness (g/kg dry textile)	IR (a) JR (b)	5,0 5,0
Energy consumption in kWh per kg per cycle, for the washing cycle of the household washer-dryer, using the eco 40-60 programme at a combination of full and partial loads. Actual energy consumption will depend on how the appliance is used			Energy consumption in kWh per kg per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual energy consumption will depend on how the appliance is use	3,767	
Water consumption in litre per cycle, for the eco 40-60 programme at a combination of full and partial loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	50		Water consumption in litre per cycle, for the wash and dry cycle of the household washer-dryer at a combination of full and half loads. Actual water consumption will depend on how the appliance is used and on the hardness of the water	90	
Maximum temperature inside the treated textile (°C) (a)	Rated washing capacity Half	44 30	Remaining moisture content (a) (%)	Rated washing capacity Half	53 53
	Quarter	23		Quarter	53
Spin speed (a) (rpm)	Rated washing capacity Half Quarter	1400 1400 1400	Spin-drying efficiency class (a)		В
Eco 40-60 programme duration (h:min)	Rated washing capacity	03:39	Wash and dry cycle duration (h:min)	Rated capacity	09:00
	Quarter	02:54		Half	05:00
Airborne acoustical noise emissions during the spinning phase for the eco 40-60 washing cycle at rated washing capacity (dB(A) re 1 pW)	77		Airborne acoustical noise emission class for the spinning phase for the eco 40-60 programme at rated washing capacity	С	
Туре	free-standing				
Off-mode (W)			Standby mode (W)	1,00	
Delay start (W) (if applicable)			Networked standby (W) (if applicable)		N/A
Minimum duration of the guarantee offered by the supplier (c This product has been designed to release silver ions during the washing cycle			): NO		
Link (a) for the eco 40-60 programme (b) for the wash and dry cycle			oint 9 of Annex II to Commission Regulation (		
			the purposes of paragraph 4 of Article 4 of Reg ve content of this cell the supplier shall not en		7/1369